

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,314,857 B2
APPLICATION NO. : 10/781464
DATED : January 1, 2008
INVENTOR(S) : Madhyastha

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Col. 1, line 40: "kidney stone and host of nosocomial infections" should read --kidney stone and a host of nosocomial infections--

Col. 6, line 63: "to what which has been used in the fast) to be effective." should read --to what which has been used in the past) to be effective.--

Col. 9, lines 2 and 3: "DacronTM" should read --Dacron[®]--

Col. 9, line 31: "polyvinylamine" should read --polyvinylamine--

Col. 9, line 40: "DacronTM" should read --Dacron[®]--

Col. 9, line 41: "Dacron" should read --Dacron[®]--

Col. 11, lines 19-20: "25°C." should read --25°C--

Col. 11, line 49: "a temperature ranging from about 30°C. to about 70°C. to" should read --a temperature ranging from about 30°C to about 70°C to--

Col. 12, line 17: "DacronTM" should read --Dacron[®]--

Col. 12, line 18: "TeflonTM" should read --Teflon[®]--

Col. 13, line 2: "37°C." should read --37°C--

Col. 13, line 58: "37°C." should read --37°C--

Col. 14, line 47: "26°C. and 37°C.," should read --26°C and 37°C,--

Col. 14, line 54: "37°C." should read --37°C--

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,314,857 B2
APPLICATION NO. : 10/781464
DATED : January 1, 2008
INVENTOR(S) : Madhyastha

Page 2 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Col. 15, line 33: "65°C." should read --55°C--

Col. 15, line 46: "37°C." should read --37°C--

Col. 16, line 29: "65°C." should read --65°C--

Col. 16, line 39: "37°C." should read --37°C--

Col. 18, line 6: "implant, a joint replacement, a cannula, an elastomer, a" should read --implant, a joint replacement, a cannula, an elastomer, a--

Signed and Sealed this

Fifteenth Day of July, 2008

A handwritten signature in black ink, reading "Jon W. Dudas". The signature is stylized, with a large loop for the 'J' and a cursive 'D'.

JON W. DUDAS
Director of the United States Patent and Trademark Office